

# Using Exergames as Social Networks: Testing the Flow Theory in the Teaching of Physical Education

César Augusto Otero Vaghetti\* Marta dos Anjos Duarte\* Pedro Otávio Ribeiro\*  
Silvia Silva da Costa Botelho\*

\*Centro de Ciências Computacionais – C3/ Programa de Pós-Graduação em Educação em Ciências – Universidade Federal do Rio Grande – RS, Brasil

## Abstract

The challenges for physical education in the technological era come not only due to the lack of motivation for the physical activities and body practices, but mainly with the possibility of using cyberspace and the electronic games as a educational content. The aim of this pilot study was to investigate the use of exergames networking as an opportunity to teach Physical Education in cyberspace. A survey sample [n=25] played the game table tennis for XBOX Kinect in three modes: singleplayer; multiplayer and networked. Intrinsic motivation was verified using the Long Flow State Scale Questionnaire [FSS-2], and the energy expenditure was verified using a heart rate monitor. Although there have not been found significant differences statistically between groups, it is noticed a similarity between the mean and the flow value to the group multiplayer and to the networked group, while the single-player group showed the lowest values. The energy expenditure measured was similar to national health recommendations. Networked exergames can be used as a virtual learning environments in physical education, not only in presencial education but in a non presencial education, with teacher and students in different locations.

**Keywords:** Exergames, physical education, social network, flow theory, exertion games

**Contact the author:**  
[cesarvaghetti@gmail.com](mailto:cesarvaghetti@gmail.com)

## 1. Introduction

In health promotion, the use of Exergames against obesity has been reported by many researchers since it provides a similar energetic demand according to the recommendations from the American College of Sports Medicine for daily caloric expenditure [Biddiss and Irwin,

2010; Siegel et al., 2009; Warburton et al., 2009; Lanningham-Foster, 2009; Unnithan et al., 2006]. In the pedagogic area the exergames have attracted the educators' attention in schools and universities due to its possibility of being incorporated into the curriculum. [Staiano and Calvert, 2011; Vaghetti et al., 2010].

Conceptually EXG are consoles which require a higher physical effort, in other words, a greater energy demand, for its playability, when compared to traditional videogames. Active video games, active gaming, exergaming, interactive games, movement-controlled video games, or exertion game are terms used to define this kind of video game, in which the interface requires physical effort [Yim and Graham, 2007; Suhonen et al., 2008; Mueller 2010].

The challenges for the pedagogic practice in Physical education [PE] in the technological era come not only due to the lack of motivation for the physical activities and body practices, but mainly, according to Machado et al. [2011] with the possibility of using cyberspace and the electronic games as a curricular subject.

It was through cyberspace and due to it that the social networks [SN] have rapidly spread in people's daily life as social platforms for communication mediated by the computer, providing an exponential increase of participants [Lin and Lu, 2011]. As examples *Facebook*, *Orkut*, *Myspace*, *Sonic* between other kinds of networks such as blogs, that configure a way of interaction which is characterized by sharing information and knowledge not existing so far.

The cyberspace is also somewhere where the players can meet, the *social* games [SG] enable the network game between geographically distant users. Essentially these games were designed to be played in the SN, and they are among the most popular games in the world, including products with dozens of millions of

players, such as: Top Eleven Football Manager, Farmville, and Dawn of the Dragons [Shin and Shin, 2011]. Although the SG are classified as sedentary games, according to Lanningham-Foster et al. [2009], they have multiplied through cyberspace due to the SN expansion, and they represent a great job opportunity, both in the field of game design, as related to the games narrative, as Education, Mathematics, Geography, between others.

The basics of the social games, according to Paraskeva et al., [2009], are the activity theory, developed by Vygotsky, Wertsch, Leontjev and Wenger. This principles can be the basis for the development of educational games which aim the creation of collaborative learning environments, where players are able to interact with other people, objects and game tools, under specific rules, creating communities through division of labor.

Developed by Mihaly Csikszentmihalyi in 1975, the Flow theory is related to the player's intrinsic motivation, in which, during the Flow experience, as a mental state, the person loses all sense of time and concerns, and the performance and pleasure sensation in the activity are maximized [Csikszentmihalyi, 1990]. Some authors suggest the Flow theory as an indicator of students' satisfaction concerning the cyberspace learning [Chan and Ahern, 1999; Shin, 2006; Liao, 2006]. The theory is also called the ideal experience and it is closely associated to an autotelic activity, in other words, it refers to the performance of an activity without receiving any reward apparently, it is simply about pleasure [Davis et al., 1992].

Based on the concepts presented, this pilot study aimed to investigate the use of networked EXGs as an opportunity to teach Physical Education in cyberspace. It verified the intrinsic motivation [Flow Theory], energy expenditure and heart rate in three different modes of playing: singleplayer, multiplayer and networked EXG.

## 2. Related Work

Vagheti *et al.* [2011] have investigated EXGs in networks and their use for PE. The researchers say that with regard to physical abilities required in games, in the EXGs development area, the new prototypes require predominantly endurance and general motor coordination and in the research they were presented as a justification for the treatment of obesity. According to the authors the consoles on the market [*Nintendo Wii*, *XBOX 360 Kinect*, *PS3 Move*], essentially demand coordination.

The authors mentioned investigated the possibility of using audio communication between players, which would facilitate the teacher's mediation.

Lin and Lu [2011] investigated 402 social networks users through a questionnaire sent by *facebook*. The researchers tested the hypothesis that the extrinsic [usefulness] and intrinsic [fun] perceived benefits positively affect the behavior of users to continue using the system. The results suggest that the fun was the most important factor that affects the behavior of users to participate and continue to join social networks. Furthermore, the authors conclude that the systems must continue to develop applications, like new games and new ways of sharing information, so that users do not lose interest.

Hansen and Sanders [2010] investigated six elementary school students, who took part in an experiment entitled active gaming over eight weeks of physical education classes with the use of EXG. The main results indicate that the persistence of the players to remain playing is related to the flow theory. This persistence of play was defined as a natural feature of children to engage voluntarily and remain engaged in technology-oriented physical activities. The findings of that study suggest that EXG can be used in physical education classes to increase levels of physical activity in children.

Khoo et al. [2009] used technology of mixed reality to create a dance game, the Age Invaders, which require general motor coordination and endurance. The prototype was tested on 49 students. The goal was the interaction between children and family in addition to encouraging physical activity. After the game play sessions, the users answered questions about acceptance and enjoyment of the Age Invaders game, using the criteria highlighted in Penelope et al. Game Flow [Sweetser and Wyeth, 2005].

Mueller et al. [2007] developed the game Table Tennis for Three, the researchers developed a networked table tennis-like game that is played with a real paddle and ball, augmented with a large-scale videoconference. Similar to networked computer games, it is a physical interactive game, based on traditional table tennis; however, it is playable by three players in three geographically distant locations.

## 3. Method

The research was conducted at the Laboratory NAUTEC [Group of Intelligent Automation and

Robotics] at the Federal University of Rio Grande. Participants were aged between 18 and 30 years.

The survey sample was selected by convenience through verbal invitation at the university. The sample  $n = 25$  was divided into three groups: Single-player [ $n = 7$ ]; Multiplayer [ $n = 8$ ] and networked EXG [ $n = 10$ ].

Three instruments of measurement were used in this research: 1) Long Flow State Scale Questionnaire [FSS-2], [Jackson et al., 2010]: The questionnaire FSS-2 consists of 36 questions, the answers are given in response on a Likert scale of five points [1 = never, 2 = rarely, 3 = sometimes, 4 = often, 5 = always]. The FSS-2 was developed to be used immediately after an activity that involves human movement. 2) Exergames used: two XBOX 360, two Kinects and two Kinect Sports games [Table Tennis and Boxing]. 3) Heart rate monitors: two monitors, Polar RS800CX heart rate monitor and Polar Trainer 5 software.

The participants were informed about the research procedures and also signed a consent form for the experiment. Three methodological procedures were conducted for each sample group. Single player [one player alone], Multiplayer [one player against another player playing in the same room] and EXGs network [one player playing against another player in a separated environment]. All the participants in the sample played the game Kinect Sports [table tennis mode] soon after they answered the FSS-2.

The participants played a table tennis game for 15 minutes. After the match all participants answered the questionnaire FSS-2. The energy expenditure was measured using the HR monitor during the games, two participants playing table tennis and two participants playing boxing. The energy expenditure was calculated by HR monitor system. The possibility to use the cyberspace in Physical Education was tested using the chat and movement of the avatar of the XBOX Kinect system to teach table tennis techniques.

We used descriptive statistic with mean and standard deviation for the results and Student's t-test to detect the differences between the means of Single-player, Multiplayer and networked EXG groups.

#### 4. Results and discussion

The Flow Theory was tested in three different game modes Kinect Sports [Table Tennis] in

XBOX Kinect, single-player, multiplayer and network EXG (Table 1). Although statistically there have not been found significant differences between groups, multiplayer modes and EXG network showed the highest flow values. The EXG played online allows users to exchange information on a social network, however, instead of sharing photos, images and files, the players can share the game's motor experience, or the technique used to perform the movements of different sports or physical activities.

**Table 1: Flow values for the investigated groups, Single-player, Multiplayer and EXG network mode in table tennis**

	Flow		
	Single-player [n=7]	Multiplayer [n=8]	EXGs network [n=10]
Mean	3.74	3.99	3.93
SD [ $\pm$ ]	0.47	0.21	0.35
VC [%]	12.58	5.32	8.92

Based on these results, although preliminary, we suggests that the experience with the multiplayer and the EXG networked was an autotelic activity, self-motivated, in which the intrinsic motivation provided not only the interest in participating in the research, but also a willingness to continue playing. In pedagogical terms, it is an excellent environment to learn. According to Ghani and Deshpande, [1994] the self-motivated learning is an excellent way to learn, since when students are intrinsically motivated, they not only want to learn more, but they can also obtain more positive results in both classroom setting as in distance learning [Chan and Ahern, 1999].

According Table 1, the singleplayer group presented the lowest Flow values and the highest coefficient of variation in comparison with to other groups. It means that some subjects in this group did not felt motivated to play alone. Paraskeva et al., [2009] states multiplayer online games have a strong multifaceted appeal to players, motivating them to make friends and form supportive social networks, also this games can be a promising educational tool.

The use of cyberspace as a space to teach Physical Education is a real possibility. Teachers can use the chat to talk, explain or discuss with students, and the movements of avatar can be used to demonstrate techniques from different sports. However, the functionality of those systems are limited. The microphony is a serious problem in chat system which sometimes it is impossible to understand

what gamers are talking, and the avatars of XBOX, especially in "kinect sports game", do not represent the anthropometry of the gamers, they are just infant avatars. Maybe this can be the explanation why we found no significant differences between groups, another explanation can be number of the sample.

The flow is an indicator of student satisfaction with learning in cyberspace, it is assumed that students in high state of flow are more likely to be satisfied with the online course than students in low-flow [Shin, 2006]. The importance of the flow experience in a virtual environment was also investigated by Liao [2006], the results emphasize that the theory can be used as an indicator about the state of intrinsic motivation in virtual environments.

Flow occurs when there is a complete engagement with the task to be performed. In Flow, the person feels strong, he/she is not concerned about himself/herself or with failure. This flow tends to occur when a person faces a clear set of goals that require appropriate responses. Flow can be experienced in any activity, however there are some types that facilitate the entry into this consciousness state, such as games like chess, tennis and sports in general, because they have goals and rules for action which makes it possible for a player to act without questioning how and what should be done [Csikszentmihalyi, 1990]. During the game the player lives in a self-sufficient universe where everything is very clear. The same clarity of goals is present in a religious ritual, in a musical play, in computer programming, during a game, climbing a mountain or during a surgery. Activities that induced flow can be called "flow activities" because they make it more likely to happen. In contrast to normal life, flow activities allow the person to focus on clear and compatible goals.

The reason why these activities induce the flow are their characteristics: they have rules that require learning skills, setting goals, provide feedback, and make the task control possible. These characteristics facilitate the concentration and the involvement by making the activity as distinct as it is possible from everyday reality. Due to the way they are constructed, such activities help participants and spectators to achieve an ordered state of mind highly enjoyable. These characteristics are related to the electronic game elements, the elements of game play. Vannucchi [2010] states that, although defined by rules and game mechanics, there are elements in the games, such as: playful activities, feedback, playability,

narrative, interface, immersion, between others that collaborate with the fantasy and games simulation of the digital era. The important aspect from the considerations pointed above is that the elements contribute and interfere in the player's fun, in the users pleasure of playing a game.

An autotelic experience is when a person does something intrinsically motivating. Deci and Ryan [2000] stated that the flow can mean a more pure example of intrinsic motivation. According to [Davis et al., 1992] Flow refers to the exercise of an activity without the expectation of receiving any apparent reward, but only for the sheer pleasure.

Shernoff et al. [2003] have investigated the motivation of students, high school, in the classes under the perspective of the flow theory. The results indicate that the activities in which students consider academically intense and challenging, are related to the activities in which there is the largest engagement of students, so the learning environment becomes a great and positive experience. According to Jackson et al. [2010] if the challenge proposed in the activity is high and the individual has little skills, the activity will cause anxiety, if the individual's ability is high and the challenge proposed in the activity is low, the activity will be boring, as if both challenge and skill are low the activity will generate apathy, nonetheless when the skills of the individual are proportional to a high challenge, the flow occurs.

In Table 2, it can be seen the values for maximal heart rate, the mean and the energy expenditure during the Table Tennis and Boxing games, both from [Kinect Sports].

**Table 2: Values of heart rate [HR max] and average heart rate [HR average] [bpm] during the game in multiplayer mode to the table tennis and boxing games.**

	<i>kinect sports Games</i>			
	<i>Table Tennis Multiplayer</i>		<i>Boxing Multiplayer</i>	
	<i>Player 1</i>	<i>Player 2</i>	<i>Player 1</i>	<i>Player 2</i>
HR max [bpm]	134	133	183	147
HR average [bpm]	108	107	124	114
Caloric Expenditure [cal]	61	52	126	74

It can be noticed, as per table above, the physiological differences between the two games. Both require basically the upper limbs

on the gameplay, however boxing requires a higher movement speed. Consequently, the values of maximum and average heart rate, and energy expenditure were higher than the mode table tennis for individuals aged between 18 and 30 years old.

The EXG console differs from sedentary videogames [Bidiss and Irwin, 2010], due to the physical efforts and the physical abilities required by the game. In fact, all videogames demand cognitive activity and auditory and visual time of reaction, and the fingers coordination to manipulate the joystick during the game. Nevertheless, the EXG console requires other physical abilities, such as resistance, upper and lower limbs coordination, speed, strength, balance and flexibility to support the playability and the games storyline.

Regarding the physiological, the caloric expenditure promoted by the EXG, especially in children and young people of school age, is higher than sedentary games [video games], promoting an increase in the level of physical activity and heart rate, as an example the research with children between 8 and 12 years old by Lanningham-Foster et al. [2006] and young people between 13 and 16 years old of Graves et al. [2007]. Similar results were found by Lanningham-Foster et al. [2009], which used samples from individuals with different ages: a group with 12 year-old children and another group with 34 year-old adults. As the number of involved muscles in the game is higher, the greater the energy expenditure is, Graves et al. [2008] analyzed the contribution of the upper limbs and found differences statistically significant between EXG and sedentary video games.

When the user spends more time playing and he/she advances to higher levels, the caloric expenditure also increases. That's what researchers Sell et al. [2008] have concluded, experienced DDR players expend more energy during the game, reaching the ACSM, comparing with the inexperienced players. Such findings can be extrapolated to all games, however, encourage players to stay longer playing is not interesting from the physiological point of view, because it may cause fatigue, dehydration and joint problems [Sparks et al. 2011]. These findings emphasize the need for a teacher performance, mediating and adapting the use of EXG consoles as a mean to perform physical exercise, in which the frequency and regularity in an exercise program are more important than exercise intensity. In the case of this study, the duration of the matches was the factor that increases the caloric expenditure, in

other words, the longer the match, the greater the caloric expenditure of the players.

In a study conducted in twenty schools in West Virginia [USA], involving the use of DDR [dance dance revolution] exergame in physical education and health classes, Lieberman [2006] states that some young people have lost about 4 [kg] after using it at school. Based on positive results raised by the study mentioned above, the state of West Virginia implemented the use of DDR in the curriculum of physical education in all its 765 public schools [Schiesel, 2007].

EXG can be used as tools of intervention in Physical Education, according to Maddison et al. [2009], by promoting an improvement in physical fitness. Its use for weight loss has also been proven in the results of Mhurchu et al. [2008], according to them 12-year-old children have lost measures of waist circumference when compared to the children from group control. Besides tool against childhood obesity, these games are an excellent tool for working motor and cognitive skills. Apart from this, teachers report that a single unit of DDR in the classroom can benefit the whole class, due to the multiplayer option. With it, children who are not playing can watch the colleague playing and they can, at the same time, rehearse their moves.

The use of cyberspace as a space to teach Physical Education is a real possibility. Teachers can use the chat to talk, explain or discuss with students, and the movements of avatar can be used to demonstrate techniques from different sports. However, the functionality of those systems are limited. The microphony is a serious problem in chat system which sometimes it is impossible to understand what gamers are talking, and the avatars of XBOX, especially in "kinect sports game", do not represent the anthropometry of the gamers, they are just infant avatars.

In the online game some peculiarities arise due to the possibility of the player to share rooms with other players. Vasalou and Joinson [2009] have investigated 71 people aged between 18 and 24 years old, the researchers used the Nintendo Wii for the avatars creation, the survey results indicate that avatars created to participate of blogs have the physical characteristics, lifestyle and the user's appearance, unlike the avatars created to be used on social networking sites and games, in which the features were accentuated to reflect the context. In dating sites, to look more attractive, and games, to look more intellectual.

It was noticed in this study that as players gained skills in the game, or could make the movements of the racket with greater precision, the more fun they had. The game challenge and the player's skill level should be in accordance with the user's age range, interaction and immersion must also be related to the player's age group [Pasch et al., 2009]. These aspects were cited for the development of games, in which a very high level of challenge for a particular age group results in frustration, according to the same authors, while a very low level results in disinterest, the same happens with the level of skill required.

Mysirlaki et al. apud Paraskeva et al. [2009] says that young people play multiplayer games online approximately 2.53 hours per day, setting up an extensive weekly load. Other problems, arising in the analysis context, including repetitive strain injuries, seizures, sleep disorders and addiction to online games are also cited by Badinand-Hubert et al. [1998] and Hsu et al. [2009]. Thus, if we think hypothetically in EXGs as being part of everyday life for children and young people, we think that such games would become an excellent tool against childhood obesity.

Currently teaching PE, both in higher education and in school, still favors the income sport as content, the sport of performance that discards the fun [Barroso and Darido, 2006]. The demotivation for physical exercise, especially at school, is attributed to the lack of playful activities. The students' exclusion in class, is also a worrying factor, in which the students who are more skilled are chosen in relation to others in the four team sports [football, handball, volleyball, basketball]. There are pedagogical resistances to the new technologies of the 21<sup>st</sup> century, because the teaching methods of the past century still remain, as the transmission of the contents and forms of militaristic education in PE [Demo, 2009]. The game is still little worked in schools, where sports prevail, Neira [2009] also emphasizes the educational potential of the game for PE at all levels of education.

Cyberspace takes a role in cultural reproduction, the formation of world point of views, skills, attitudes, values, among others [Gontijo et al, 2007]. According to Alves [2000] cyberspace, acts in what Vygotsky called the Zone of Proximal Development [ZPD], because when networked the players learn through different perspectives and knowledge, allowing the passage from the real level of development to the level of potential development. The constant change of knowledge in the form of

information within the network, demonstrates the communicative power of cyberspace. As the Internet spreads around the globe, especially in the educational institution, the capacity of collective intelligence increases, because the exchange of information between individuals of different ethnicities represents, unconditionally, an increase of interpretation regarding a common theme.

## 5. Conclusions

The preliminary results of this investigation show some possibilities for using Exergames in the teaching of Physical Education, using the Flow Theory, such as evaluation of the user's engagement and fun in the activity. The Exergame used in this study, the table tennis game from the XBOX Kinect console, allowed users to exchange information on a social network, however, instead of sharing photos, images and files, players shared the game's motor experience, the physical abilities involved and the technique used to perform the table tennis movements.

The procedures used by players to share information, resemble a physical education class in cyberspace. The teacher can use an audio-visual approach to teaching, the description of the motion is made verbally through the audio devices and the movements' visualization is done through the figure of the avatar. However, the functionality of those systems are limited. The microphony is a serious problem in chat system which sometimes it is impossible to understand what gamers are talking, and the avatars of XBOX, especially in "kinect sports game", do not represent the anthropometry of the gamers, they are just infant avatars.

Although there have not been found statistically significant differences for the Flow value, the multiplayer and EXG online groups had higher values. The game social interaction and experience with virtual reality provided the engagement and fun in the task; these aspects can be considered the keys to learning.

The caloric expenditure promoted by the games was higher for the boxing sport, due to a higher speed of arms movement. When the player spends more time playing and advance to higher levels, caloric expenditure also increases, the console asks the player if he is tired and proposes a break in each game to rest. These findings emphasize the need for teacher performance, mediating and adapting the consoles use as a mean to carry out planned and supervised exercise.

The relevance of Exergames for Physical Education lies not only in the form of classroom education, provided by a variety of themed games on physical activity and sport, but also a physical education without the necessity of attending a class. Exergames online allow the game between opponents separated geographically, from different cultures, enriching the learning environment. These games have the potential to become a virtual sports social network. As in *secondlife*, the Exergames online players may carry over into virtual sports stadiums as famous Maracanã and Wimbledon Stadiums and challenge different players for a virtual match.

## Acknowledgements

The authors would like to thank to Florian 'Floyd' Mueller from Exertion Games Lab, RMIT University, by help in edition and reviewing this paper.

## References

- Biddiss, E. and Irwin, J., 2010. Active video games to promote physical activity in children and youth. *Archives of Pediatrics and Adolescent Medicine*, 164, 664-672.
- Alves, L.R.G. 2000. Conhecimento e Internet: uma construção possível?. *Revista da Faculdade de Educação*, 1, 91-108.
- Badinand-Hubert, N.; Bureau, M.; Hirsch, E.; Masnou, P. e Nahum, L. 1998. Epilepsies and video games: results of a multicentric study. *Electroencephalography and Clinical Neurophysiology*, 107, 422-427.
- Barroso, A.L.R. and Darido, S.C. 2006. Escola, educação física e esporte: possibilidades pedagógicas. *Revista Brasileira de Educação Física, Esporte, Lazer e Dança*, 1[4], 101-114.
- Chan, T.S. and Ahern, T.C. 1999. Targeting motivation - Adapting flow theory to instructional design. *Journal of Educational Computing Research*, 21, 151-163.
- Csikszentmihalyi, M. 1990. *Flow: The Psychology of Optimal Experience*. New York: Harper Perennial.
- Davis, F.D.; Bagozzi, R.P.; Warshaw, P.R. 1992. Extrinsic and intrinsic motivation to use computers in the workplace. *Journal of Applied Social Psychology*, 22, 1111-1132.
- Deci, E. L. and Ryan, R. M., 2000. Intrinsic and Extrinsic Motivations: Classic Definitions and New Directions. *Contemporary Educational Psychology* 25, 54-67.
- Demo, P. 2009. Aprendizagens e novas tecnologias. *Revista Brasileira de Docência, Ensino e Pesquisa em Educação Física*, 1, 53-75.
- Ghani, J.A. and Deshpande, S.P. 1994. Task characteristics and the experience of optimal flow in human-computer interaction. *The Journal of Psychology*, 128, 381-391.
- Gontijo, C.R.B.; Mendes-Silva, I.M.; Viggiano, A.R.; Tomasi, A.P.N. 2007. Ciberespaço: que território é esse? *Educação and Tecnologia*, 12, 40-47.
- Graves, L.; Ridgers, N.D.; Stratton, G. 2008. The contribution of upper limb and total body movement to adolescents energy expenditure whilst playing Nintendo Wii. *European Journal of Applied Physiology*, 104, 617-623.
- Graves, L.; Stratton, G.; Ridgers, N.D.; Cable, N.T. 2007. Energy expenditure in adolescents playing new generation computer games. *Brazilian Medical Journal*, 335, 22-29.
- Hansen, L.; Sanders, S. 2010. Fifth Grade Students Experiences Participating in Active Gaming in Physical Education. *Journal of Research*, 5, 33-40.
- Hsu, S.H.; Wen, M.H.; Wu, M.C. 2009. Exploring user experiences as predictors of MMORPG addiction. *Computers Education*, 53, 990-999.
- Jackson, S; Eklund, B.; Martin, A. 2010. *The flow scales manual*. Queensland: Mind Garden.
- Khoo, E.T.; Merrit, T.; Cheok, A.D. 2009. Design physical and social intergenerational family entertainment. *Interacting with computers*, 21, 76-87.
- Lanningham-Foster, L.; Foster, R.C.; McCrady, S.K.; Jensen, T.B.; Mitre, N.; Levine, J.A. 2009. Activity-promoting video games and increased energy expenditure. *Journal of pediatrics*, 154, 819-823.
- Lanningham-Foster, L.; Jensen, T.B.; Foster, R.C.; Redmond, A.B.; Walker, B.A.; Heinz, D.; Levine, J.A. 2006. Energy expenditure of sedentary screen time compared with active screen time for children. *Pediatrics*, 118, 1831-1835.
- Liao, L.F., 2006. A flow theory perspective on learner motivation and behavior in distance education. *Distance Education*, 27, 45-62.
- Lieberman, D. 2006. Dance games and other exergames: what the research says. University of California Santa Barbara. : <http://www.comm.ucsb.edu/faculty/lieberman/exergames.htm>>[accessed 12 november 2007].
- Lin, K. and Lu, H. 2011. Why people use social networking sites: An empirical study integrating

- network externalities and motivation theory. *Computers in Human Behavior*, 27, 1152–1161.
- Maddison, R.; Foley, L.; Mhurchu, C.N.; Jull, A.; Jiang, Y.; Prapavessis, H.; Rodgers, A.; Hoorn, S.V.; Hohepa, M.; Schaaf, D. 2009. Feasibility, design and conduct of a pragmatic randomized controlled trial to reduce overweight and obesity in children: The electronic games to aid motivation to exercise [eGAME] study. *BMC Public Health*, 146, 1-9.
- Mhurchu, C.N.; Maddison, R.; Jiang, Y.; Jull, A.; Prapavessis, H.; Rodgers, A. 2008. Couch potatoes to jumping beans: a pilot study of the effect of active video games on physical activity in children. *International Journal of Behavioral Nutrition and Physical Activity*, 5, 1-5.
- Mueller, F.; Gibbs, M.R.; Frank, V. 2010. Towards Understanding how to Design for Social Play in Exertion Games. *Journal of Personal and Ubiquitous Computing*, 14, 417-424.
- Mueller, F. and Gibbs, M. 2007. Building a Table Tennis Game for Three Players. In: *Proceedings of Advances in Computer Entertainment*, 13-15 June 2007, Salzburg, Austria, 179-182.
- Neira, M.G. 2009. Em defesa do jogo como conteúdo cultural do currículo da Educação Física. *Revista Mackenzie de Educação Física*, 8, 25-41.
- Machado, A.A.; Zaneti, M.C.; Moioi, A. 2011. O corpo, desenvolvimento humano e as tecnologias. *Motriz*, 17, 728-737.
- Shin, D. and, Shin, Y., 2011. Why do people play social network games. *Computers in Human Behavior*, 27, 852-861.
- Paraskeva, F.; Mysirlaki, S.; Papagianni, A. 2009. Multiplayer online games as educational tools: Facing new challenges in learning. *Computers and Education*, 54, 498-505.
- Pasch, M.; Bianchi-Berthouze, N.; Dijk, B.V. e Nijholt, A. 2009. Movement-based sports video games: investigating motivation and gaming experience. *Entertainment Computing*, 1, 49-61.
- Sell, K.; Lillie, T.; Taylor, J. 2008. Energy expenditure during physically interactive video game playing in male college students with different playing experience. *Journal of American College of Health*, 56, 505-511.
- Schiesel, S. 2007. P.E. classes turn to video game that works legs, not thumbs. The New York Times. <http://www.nytimes.com/2007/04/30/health/30exer.html>.
- Shin, N. 2006. Online learner's 'flow' experience: an empirical study. *British Journal of Educational Technology*, 37, 705-720.
- Siegel, S.R.; Haddock, B.L.; Dubois, A.M. e Wilkin, L.D. 2009. Active video/arcade games [Exergaming] and energy expenditure in college students. *International Journal of Sports Science*, 2, 165-174.
- Sparks, D.A.; Coughlin, L.M.; Chase, D.M. 2011. Did too much Wii cause your patient's injury? *The Journal of Family Practice*, 60, 404-409.
- Staiano, A.E.; Calvert, S.L. 2011. Exergames for physical education courses: physical, social, and cognitive benefits. *Child Development Perspectives*, 5, 93-98.
- Suhonen, K.; Väättäjä, H.; Virtanen, T.; Raisamo, R. 2008. Seriously fun - exploring how to combine promoting health awareness and engaging gameplay. In: *Proceedings of MindTrek*, October 7-9, Tampere, Finland, 18-22.
- Shermoff, D.J.; Csikszentmihalyi, M.; Schneider, B.; Shermoff, E.S., 2003. Student engagement in high school classrooms from the perspective of flow theory. *School Psychology Quarterly*, 18, 158-176.
- Sweetser, P. and Wyeth, P. 2005. GameFlow: A model for valuating player enjoyment in games. *Computers in Entertainment*, 3, 1-24.
- Unnithan, V.B.; Houser, W.; Fernhall, B. 2006. Evaluation of the energy cost playing a dance simulation video game in overweight and non-overweight children and adolescents. *International Journal of Sports Medicine*, 27, 804-809.
- Warburton, D.E.R.; Sarkany, D.; Johnson, M.; Rhodes, R.E.; Whitford, W. et al. 2009. Metabolic requirements of interactive video game cycling. *Medicine and Science in Sports and Exercise*, 41, 920-926.
- Vaghetti, C.A.O. and Botelho, S.S.C., 2010. Ambientes virtuais de aprendizagem na Educação Física: uma revisão sobre a utilização de exergames. *Ciências and Cognição*, 15, 76-88.
- Vaghetti, C.A.O.; Sperotto, R.I.; Botelho, S.S.C. 2010. Cultura digital e Educação Física: problematizando a inserção de exergames no currículo. In: *Anais do IX Simpósio Brasileiro de Jogos e Entretenimento Digital*, 8-10, Novembro, Florianópolis, Brasil. 1-7.
- Vaghetti, C.A.O.; Mustaro, P.N.; Botelho, S.S.C. 2011. Exergames no Ciberespaço: uma possibilidade para a Educação Física. In: *Anais do X Simpósio Brasileiro de Jogos e Entretenimento Digital*, 7-9, Novembro, Salvador, Brasil. 1-12.
- Vannucchi, H. 2010. Elementos do gameplay. In: *Anais do VI Seminário de jogos eletrônicos, educação e comunicação: Construindo Novas trilhas*. 6- 7 Maio, Salvador, Brasil.



- Vasalou, A. and Joinson, A.N. 2009. Me, myself and I: The role of interactional context on self-presentation through avatars. *Computers in Human Behavior*, 25, 510-520.
- Yim, J. and Graham, T.C.N. 2007. Using games to increase exercise motivation. *In: Proceedings of FuturePlay 2007*, November 15-17, 2007, Toronto, Canada, 166-173.
- Zea, N.P.; Sánchez, J.L.G.; Gutiérrez, F.L.; Cabrera, M.J.; Paderewski, P. 2009. Design of Educational multiplayer videogames: A vision from collaborative learning. *Advances in Engineering Software*, 40, 1251-1260.